

Radiosonde-No.8-MOC-CMA(2024)

# **Report on the Quality of Radiosonde Observations in Region II (Asia)**

August 2024

**Regional WIGOS Centre, Beijing**

China Meteorological Administration

No. 46 Zhongguancun Nandajie

Beijing, CHINA

# Contents

Introduction .....	1
1. Data Acquisition .....	1
2. Monitoring Standard .....	1
2.1 Geopotential Height .....	1
2.2 Vector Wind .....	3
2.3 Wind Direction .....	4
3. Monitoring Results .....	5
3.1 Silent Stations .....	5
3.2 Geopotential Height (GPH) .....	6
3.2.1 List of Suspect Stations .....	6
3.2.2 Suspect Station Analysis .....	7
3.3 Vector Wind (WIN_S) .....	18
3.3.1 List of Suspect Stations .....	18
3.3.2 Suspect Station Analysis .....	19
3.4 Wind Direction (WIN_D) .....	22
3.4.1 List of Suspect Stations .....	22
3.4.2 Suspect Station Analysis .....	23
4. Comparison with Other Results .....	28
5. Possible Causes of Remarkable Biases .....	28
Technical Support .....	29

# **Report on the Quality of Radiosonde Observations in Region II (Asia)**

August 2024

## **Introduction**

In its role as a Regional WIGOS Centre (RWC) in Regional Association (RA) II, China Meteorological Administration (CMA) has issued the monthly report on the radiosonde observation quality monitoring of August 2024. The report includes a consolidated list of suspect stations that produced low-quality observation data.

CMA was designated as a Regional WIGOS Centre in RA II. The Centre is responsible for monitoring the quality of meteorological observations and maintaining consolidated lists of suspect stations of reporting low-quality observation data together with adequate evidence. The lists are to be passed on to the WMO secretariat and monitoring centres participating in the activity as well as to Members of RA II for their reference.

## **1. Data Acquisition**

Radiosonde observation data are collected at GTS, including 2 times: 00 and 12(UTC). The observation elements are geopotential height(GPH), vector wind (WIN\_S) and wind direction (WIN\_D).

## **2. Monitoring Standard**

### **2.1 Geopotential Height**

\*Standard of comparison: First guess field from CMA\_GFS model

\*Observation times : 00, 12 UTC

\*Levels monitored : Standard levels from 1000 - 30 hPa

\*Element monitored : Geopotential Height (m)

\*Parameters monitored :

NUM OBS: Number of observations received excluding duplicates

NUM GRS: Number of observations with gross errors

% REJ: Percentage of observations rejected by quality control

SD: Standard deviation of differences of observations from first guess field

BIAS: Mean difference of observations from first guess field

RMS: Root mean square of differences of observations from first guess field

(SD, BIAS and RMS are estimated excluding observations with gross errors)

\*GROSS ERROR LIMIT :

Level (hPa)	Geopotential Height (m)
1000	100
925	100
850	100
700	100
500	150
400	175
300	200
250	225
200	250
150	275
100	300
70	375
50	400
30	450

\*SELECTION CRITERIA :

at least 3 levels with NUM OBS  $\geq$  10 and 100 m weighted RMS  
only the worst level is shown (with unweighted RMS)

## 2.2 Vector Wind

\*Standard of comparison: First guess field from CMA\_GFS model

\*Observation times : 00, 12 UTC

\*Levels monitored : Standard levels from 1000 - 100 hPa

\*Element monitored : Vector Wind (m/s)

\*Parameters monitored :

NUM OBS: Number of observations received excluding duplicates

NUM GRS: Number of observations with gross errors

% REJ: Percentage of observations rejected by quality control

U,V BIAS: Mean difference of observations from first guess field

RMS: Root mean square of differences of observations from first guess  
field

(BIAS and RMS are estimated excluding observations with gross errors)

\*GROSS ERROR LIMIT :

Level (hPa)	Vector Wind (m/s)
1000	35
925	35
850	35
700	40
500	45
400	50
300	60
250	60
200	50
150	50
100	45

SELECTION CRITERIA :

at least 1 level with NUM OBS  $\geq$  10 and RMS  $\geq$  15 m/s  
standard level (1000 - 100 hPa) with highest RMS is shown

## 2.3 Wind Direction

\*Standard of comparison: First guess field from CMA\_GFS model

\*Observation times : 00, 12 UTC

\*Levels monitored : Standard levels from 500 - 150 hPa

\*Element monitored : Wind Direction (degrees, clockwise)

\*Parameters monitored :

NUM OBS: Minimum number of observations received excluding  
duplicates at each level

(excluding gross errors and data with wind speed < 5 m/s)

BIAS: Mean difference of observation from first guess field, averaged over  
the monitoring levels

MAX SPREAD: Maximum absolute difference of SD at any level from SD  
at all levels

SD: Standard deviation of differences of observations from first guess field  
at all levels

(BIAS, MAX SPREAD and SD are estimated excluding observations with  
gross errors and low wind speed )

GROSS ERROR LIMIT :

Level (hPa)	Wind Direction (°)
500	45
400	50
300	60
250	60
200	50
150	50

SELECTION CRITERIA :

NUM OBS  $\geq$  5 and

|BIAS| ≥ 10 degrees with  
SD < 30 degrees and  
MAX SPREAD < 10 degrees

### 3. Monitoring Results

#### 3.1 Silent Stations

Table 1 List of silent stations from August

NUM	STATION_CODE	STATION_NAME	COUNTRY	LAT	LON
1	40938	HERAT	Afghanistan	34.22	62.22
2	40948	KABUL AIRPORT	Afghanistan	34.55	69.22
3	42667	BHOPAL/BAIRAGHAR	India	23.28	77.35
4	42101	PATIALA	India	30.33	76.47
5	42867	NAGPUR SONEGAON	India	21.10	79.05
6	42701	M.O. RANCHI	India	23.32	85.32
7	42379	GORAKHPUR	India	26.75	83.37
8	43192	GOA/PANJIM	India	15.48	73.82
9	47600	WAJIMA	Japan	37.39	136.90
10	40582	KUWAIT INTERNATIONAL AIRPORT	Kuwait	29.24	47.97
11	43599	GAN	Maldives	-0.69	73.16
12	48042	MANDALAY	Myanmar	21.94	96.09
13	48097	YANGON	Myanmar	16.86	96.15
14	41661	QUETTA (SHEIKH MANDA)	Pakistan	30.27	66.92
15	41780	KARACHI AIRPORT	Pakistan	24.90	67.13
16	41594	SARGODHA	Pakistan	32.05	72.67
17	24944	OLEKMINSK	Russia	60.37	120.42
18	31168	AYAN	Russia	56.45	138.15
19	30715	ANGARSK	Russia	52.48	103.85
20	38954	KHOROG	Tajikistan	37.50	71.50
21	38836	DUSHANBE	Tajikistan	38.58	68.73

22	38507	TURKMENBASHI	Turkmenistan	40.03	52.98
----	-------	--------------	--------------	-------	-------

The list is the stations that did not receive data from August, please check the status of the stations according to the list, if it is closed or silent, please go to the OSCAR/Surface to modify the declared status.


## 3.2 Geopotential Height (GPH)

### 3.2.1 List of Suspect Stations


Table 2 List of GPH suspected in August 2024

LINE NUM	WMO IDENT	COUNTRY	OBS TIME	LEVEL	NUM OBS	NUM GRS	REJ (%)	BIAS	SD	RMS
1	31510	Russia	00	30	18	0	0	163.8	69.6	178
2	32150	Russia	00	100	10	0	10	65.3	78.7	102.3
3	35700	Kazakhstan	00	200	10	0	0	82.1	56	99.4
4	35700	Kazakhstan	12	300	16	3	0	74.4	46.1	87.5
5	36003	Kazakhstan	12	30	13	0	0	108.9	118.7	161
6	38341	Kazakhstan	00	70	14	7	0	-9.8	239.1	239.4
7	38341	Kazakhstan	12	400	13	4	11.8	0.7	76.4	76.4
8	42348	India	00	400	25	1	0	51.8	20.6	55.8
9	42348	India	12	100	11	0	9.1	105	21.4	107.2
10	42410	India	00	50	16	1	0	129.5	78.7	151.5

### 3.2.2 Suspect Station Analysis




Location of all radiosonde stations reporting geopotential height observations in Region II over the month of August 2024. NOBS shows the total number of observations received at RWC-Beijing, corresponding total number of stations (NSTA) and color scale are shown at the top of the figure, color green refers to NOBS is higher than 500, color yellow refers to NOBS is between 200 and 500(including 500), color orange refers to NOBS is between 0 and 200(including 200), and color gray refers to NOBS is 0.




Location of all radiosonde stations reporting geopotential height average number of observations in 24 hours in Region II over the month of August 2024.

CMA Monitoring Statistics - Aug 2024 00 UTC  
Suspect GPH observations - WMO Region II



Distribution of suspect stations - Geopotential Height 00 UTC


CMA Monitoring Statistics - Aug 2024 12 UTC  
Suspect GPH observations - WMO Region II



Distribution of suspect stations - Geopotential Height 12 UTC

Russia - BLAGOVESCHETNSK[31510] Aug, 2024

BIAS SD RMS




BIAS、SD and RMS of GPH for station 31510(OBS-TIME:00)

Time sequence diagram of Observation - Mode deviation

Russia - BLAGOVESCHETNSK[31510] Aug, 2024


mode + observe X bias 00 (UTC)  
 mode + observe X bias 12 (UTC)



Time-series representation of GPH Obs minus first guess for station 31510(Level:30)

Russia - JUZHNO-SAHALINSK[32150] Aug, 2024

BIAS SD RMS




BIAS、SD and RMS of GPH for station 32150(OBS-TIME:00)


Time sequence diagram of Observation - Mode deviation

Russia - JUZHNO-SAHALINSK[32150] Aug, 2024

mode + observe x bias 00 (UTC)  
mode + observe x bias 12 (UTC)



Time-series representation of GPH Obs minus first guess for station 32150(Level:100)




BIAS、SD and RMS of GPH for station 35700(OBS-TIME:00)


Time sequence diagram of Observation - Mode deviation

Kazakhstan - ATYRAU[35700] Aug, 2024


mode + observe X bias 00 (UTC)  
 mode + observe X bias 12 (UTC)




Time-series representation of GPH Obs minus first guess for station 35700(Level:200)



BIAS、SD and RMS of GPH for station 35700(OBS-TIME:12)




Time-series representation of GPH Obs minus first guess for station 35700(Level:300)




BIAS、SD and RMS of GPH for station 36003(OBS-TIME:12)


Time sequence diagram of Observation - Mode deviation




Time-series representation of GPH Obs minus first guess for station 36003(Level:30)




BIAS、SD and RMS of GPH for station 38341(OBS-TIME:00)




Time-series representation of GPH Obs minus first guess for station 38341(Level:70)



BIAS、SD and RMS of GPH for station 38341(OBS-TIME:12)




Time-series representation of GPH Obs minus first guess for station 38341(Level:400)




BIAS、SD and RMS of GPH for station 42348(OBS-TIME:00)

Time sequence diagram of Observation - Mode deviation




Time-series representation of GPH Obs minus first guess for station 42348(Level:400)




BIAS、SD and RMS of GPH for station 42348(OBS-TIME:12)

Time sequence diagram of Observation - Mode deviation




Time-series representation of GPH Obs minus first guess for station 42348(Level:100)



BIAS、SD and RMS of GPH for station 42410(OBS-TIME:00)

Time sequence diagram of Observation - Mode deviation



Time-series representation of GPH Obs minus first guess for station 42410(Level:50)

### 3.3 Vector Wind (WIN\_S)


#### 3.3.1 List of Suspect Stations

Table 3 List of WIN\_S suspected in August 2024


LINE	WMO	COUNTRY	OBS	LEVEL	NUM	NUM	REJ	BIAS	SD	RMS
NUM	IDENT		TIME		OBS	GRS	(%)			

1	38341	Kazakhstan	00	200	24	0	0	1.4	19.7	19.8
2	38341	Kazakhstan	12	300	12	0	0	6.9	21.5	22.5


### 3.3.2 Suspect Station Analysis




Location of all radiosonde stations reporting vector wind observations in Region II over the month of August 2024. NOBS shows the total number of observations received at RWC-Beijing, corresponding total number of stations (NSTA) and color scale are shown at the top of the figure, color green refers to NOBS is higher than 400, color yellow refers to NOBS is between 200 and 400(including 400), color orange refers to NOBS is between 0 and 200(including 200), and color gray refers to NOBS is 0.




Location of all radiosonde stations reporting vector wind average number of observations in 24 hours in Region II over the month of August 2024.




Distribution of suspect stations - Vector Wind 00 UTC




Distribution of suspect stations - Vector Wind 12 UTC




BIAS、SD and RMS of WIN\_S for station 38341(OBS-TIME:00)



Time-series representation of WIN\_S Obs minus first guess for station 38341(Level:200)



BIAS、SD and RMS of WIN\_S for station 38341(OBS-TIME:12)



Time-series representation of WIN\_S Obs minus first guess for station 38341(Level:300)

### 3.4 Wind Direction (WIN\_D)


#### 3.4.1 List of Suspect Stations

Table 4 List of WIN\_D suspected in August 2024


LINE NUM	WMO IDENT	COUNTRY	OBS TIME	NUM OBS	BIAS	SD	MAX SPREAD
-------------	--------------	---------	-------------	------------	------	----	---------------

1	38341	Kazakhstan	12	13	14.3	13.4	5.8
2	48327	Thailand	00	23	15.4	16.1	3.8
3	48327	Thailand	12	13	19.4	16.4	1.2


### 3.4.2 Suspect Station Analysis




Location of all radiosonde stations reporting wind direction observations in Region II over the month of August 2024. NOBS shows the total number of observations received at RWC-Beijing, corresponding total number of stations (NSTA) and color scale are shown at the top of the figure, color green refers to NOBS is higher than 200, color yellow refers to NOBS is between 100 and 200(including 200), color orange refers to NOBS is between 0 and 100(including 100), and color gray refers to NOBS is 0.




Location of all radiosonde stations reporting wind direction average number of observations in 24 hours in Region II over the month of August 2024.



Distribution of suspect stations - Wind Direction 00 UTC




### Distribution of suspect stations - Wind Direction 12 UTC




BIAS、SD and RMS of WIN\_D for station 38341(OBS-TIME:12)

### Time sequence diagram of Observation - Mode deviation




### Time-series representation of WIN\_D Obs minus first guess for station 38341(Level:500)




### BIAS、SD and RMS of WIN\_D for station 48327(OBS-TIME:00)


### Time sequence diagram of Observation - Mode deviation



### Time-series representation of WIN\_D Obs minus first guess for station 48327(Level:150)



### BIAS、SD and RMS of WIN\_D for station 48327(OBS-TIME:12)



Time-series representation of WIN\_D Obs minus first guess for station 48327(Level:150)

## 4. Comparison with Other Results

Element	CMA				JMA				EC			
	Country	Station	Level	Time	Country	Station	Level	Time	Country	Station	Level	Time
Geopotential Height	Russia	31510	30	00	Russia	31510	100	00	Russia	31510	100	00
	Russia	32150	100	00	Kazakhstan	35700	200	00	Kazakhstan	35700	200	00
	Kazakhstan	35700	200	00	Russia	37055	150	12	Kazakhstan	35700	400	12
	Kazakhstan	35700	300	12	Kazakhstan	38341	200	00	Russia	37055	150	12
	Kazakhstan	36003	30	12	Kazakhstan	38341	250	12	Kazakhstan	38341	200	00
	Kazakhstan	38341	70	00	India	42410	100	00	Kazakhstan	38341	250	12
	Kazakhstan	38341	400	12					India	42516	100	00
	India	42348	400	00								
	India	42348	100	12								
	India	42410	50	00								
Vector Wind	Kazakhstan	38341	200	00					Kazakhstan	38341	250	12
	Kazakhstan	38341	300	12					Kazakhstan	38341	100	00
									Mongolia	44373	200	12
									Mongolia	44373	250	00
Wind Direction	Kazakhstan	38341		12	China	54340		00	China	54340		12
	Thailand	48327		00	China	54340		12	China	54340		00
	Thailand	48327		12	China	59431		12	China	59431		00

## 5. Possible Causes of Remarkable Biases

The following are possible causes of remarkable and sustained biases:

- (1) The radiosonde has significant error.
- (2) The latitude, longitude or altitude of the station in OSCAR/Surface has not been updated in a timely and appropriate manner. This could result in

remarkable biases because it may cause incorrect calculated first-guess field values.

(3) Biases are specific to the NWP model used in quality monitoring.

## **Technical Support**

Any comments on the contents and the format of the report are welcome and should be contacted to:

**Project Leader:**

Shi Lijuan (Ms.), Li Cuina (Ms.)

**Tech Support Staff:**

Sun Hao (Mr.), Dai Zhiying (Ms.), Cui Xiai (Ms.), Guo Qiyun (Mr.), Lin Xuejiao (Ms.)

Tel: 86-010-58991513

E-mail: [rwcbj@cma.gov.cn](mailto:rwcbj@cma.gov.cn)

**Regional WIGOS Centre in RA II (Beijing)**

CMA Meteorological Observation Centre